



## CENNIK DETALICZNY GŁOŚNIKÓW

01.04.2017

Ceny zawierają podatek VAT 23%.

Model	Description	Cena brutto (€)
<b>Neodymium Ultra Low Distortion Series</b>		
<b>5" Neo</b>		
5N155	5" Neodymium Low Midrange Driver, 1,5" VC, 130 W, 91 dB, 8/16 Ohm	154,00 €
5N160	5" Neodymium Low Midrange Driver, 1,5" VC, 130 W, 91 dB, 8/16 Ohm	184,00 €
<b>6,5" Neo</b>		
6N160	6,5" Neodymium Low Midrange Driver, 1,5" VC, 130 W, 93 dB, 8/16 Ohm	188,00 €
<b>8" Neo</b>		
8N515	8" Neodymium Low Midrange Driver, 2" VC, 200 W, 96 dB, 8/16 Ohm	300,00 €
8N519	8" Neodymium Low Midrange Driver, 2" VC, 250 W, 94 dB, 8/16 Ohm	285,00 €
<b>12" Neo</b>		
12N610	12" Neodymium Low Midrange Driver, 3" VC, 400 W, 99 dB, 8/16 Ohm	345,00 €
12N620	12" Neodymium Low Midrange Driver, 3" VC, 500 W, 98 dB, 4/8/16 Ohm	347,00 €
12N630	12" Neodymium Woofer, 3" VC, 600 W, 96 dB, 4/8 Ohm	370,00 €
12N810	12" Neodymium Low Midrange Driver, 4" VC, 600 W, 100 dB, 4/8 Ohm	469,00 €
12N820	12" Neodymium Low Midrange Driver, 4" VC, 800 W, 98 dB, 4/8/16 Ohm	469,00 €
12N802	12" Neodymium Low Midrange Driver, 4" VC, 1000 W, 98 dB, 4/8/16 Ohm	445,00 €
12N803	12" Neodymium Woofer, 4" VC, 1000 W, 97 dB, 4/8 Ohm	469,00 €
12N804	12" Neodymium Woofer, 4" VC, 1100 W, 97 dB, 4/8 Ohm	498,00 €
<b>15" Neo</b>		
15N620	15" Neodymium Low Midrange Driver, 3" VC, 500 W, 98 dB, 4/8/16 Ohm	350,00 €
15N630	15" Neodymium Woofer, 3" VC, 600 W, 98 dB, 4/8 Ohm	368,00 €
15N820	15" Neodymium Low Midrange Driver, 4" VC, 1000 W, 98 dB, 4/8/16 Ohm	527,00 €
15N830V <sup>2</sup>	15" Neodymium Woofer, 4" VC, 1100 W, 97 dB, 4/8 Ohm	540,00 €
15N840	15" Neodymium Woofer, 4" VC, 1200 W, 95 dB, 4/8 Ohm	596,50 €
15N850V <sup>2</sup>	15" Neodymium Woofer, 4" VC, 1200 W, 95 dB, 4/8 Ohm	694,00 €
<b>18" Neo</b>		
18N830V <sup>2</sup>	18" Neodymium Woofer, 4" VC, 1100 W, 96 dB, 4/8 Ohm	580,00 €
18N840	18" Neodymium Woofer, 4" VC, 1200 W, 95 dB, 4/8 Ohm	655,00 €
18N850V <sup>2</sup>	18" Neodymium Woofer, 4" VC, 1200 W, 95 dB, 4/8 Ohm	750,00 €
18N862	18" Neodymium Woofer, 4" VC, 1500 W, 95 dB, 4/8 Ohm	840,00 €



**Ultra Low distortion Series****Cena brutto (€)**

<b>5" Ferrit</b> 5S117	5" Low Midrange Driver, 1,5" VC, 130 W, 91 dB, 8/16 Ohm	<b>150,00 €</b>
<b>6,5" Ferrit</b> 6S117	6,5" Low Midrange Driver, 1,5" VC, 130 W, 91 dB, 8/16 Ohm	<b>154,00 €</b>
<b>8" Ferrit</b> 8S215	8" Low Midrange Driver, 2" VC, 200 W, 96 dB, 8/16 Ohm	<b>170,00 €</b>
8S219	8" Low Midrange Driver, 2" VC, 250 W, 94 dB, 8/16 Ohm	<b>195,00 €</b>
<b>12" Ferrit</b> 12S302	12" Low Midrange Driver, 500 W, 96 dB, 8/16 Ohm	<b>244,00 €</b>
12S305	12" Woofer, 800 W, 95 dB, 8 Ohm	<b>255,00 €</b>
12S320	12" Low Midrange Driver, 3" VC, 500 W, 98 dB, 4/8/16 Ohm	<b>249,00 €</b>
12S330	12" Woofer, 3" VC, 600 W, 96 dB, 4/8 Ohm	<b>260,00 €</b>
<b>15" Ferrit</b> 15S320	15" Low Midrange Driver, 3" VC, 500 W, 98 dB, 4/8/16 Ohm	<b>265,00 €</b>
15S330	15" Woofer, 3" VC, 600 W, 98 dB, 4/8 Ohm	<b>275,00 €</b>
15S430V <sup>2</sup>	15" Woofer, 4" VC, 1200 W, 97 dB, 4/8 Ohm	<b>348,00 €</b>
<b>18" Ferrit</b> 18S430V <sup>2</sup>	18" Woofer, 4" VC, 1200 W, 96 dB, 4/8 Ohm	<b>380,00 €</b>
18S450	18" Woofer, 4" VC, 1200 W, 95 dB, 4/8 Ohm	<b>520,00 €</b>

**Coaxial Neodymium Series**

<b>5"/1" Coax. Neo</b> 5CN140	5" Coaxial Neodymium Transducer, 1,5" +1" VC, 150 W + 25 W, 91 dB, 8/16 Ohm	<b>289,00 €</b>
5CN160	5" Coaxial Neodymium Transducer, 1,5" +1" VC, 150 W + 25 W, 91 dB, 8/16 Ohm	<b>290,00 €</b>
<b>6,5"/1" Coax. Neo</b> 6CN160	6,5" Coaxial Neodymium Transducer, 1,5" +1" VC, 150 W + 25 W, 93 dB, 8/16 Ohm	<b>294,00 €</b>
<b>8"/1" Coax. Neo</b> 8CN552	8" Coaxial Neodymium Transducer, 2" +1,75" VC, 200 W + 80 W, 90° 95,5 dB, 8/16 Ohm	<b>420,00 €</b>
<b>12"/1" Coax. Neo</b> 12CN680	12" Coaxial Neodymium Transducer, 3" + 1,75" VC, 500 W + 80 W, 80°x 60° 98 dB, 8/16 Ohm	<b>588,00 €</b>
12CN682	12" Coaxial Neodymium Transducer, 3" + 1,75" VC, 500 W + 80 W, 60° 98 dB, 8/16 Ohm	<b>588,00 €</b>
<b>15"/1" Coax. Neo</b> 15CN680	15" Coaxial Neodymium Transducer, 3" + 1,75" VC, 500 W + 80 W, 80 x 60° 98 dB, 8/16 Ohm	<b>623,00 €</b>
15CN682	15" Coaxial Neodymium Transducer, 3" + 1,75" VC, 500 W + 80 W, 60° 98 dB, 8/16 Ohm	<b>623,00 €</b>

<b>Coaxial Ferrite Series</b>		<b>Cena brutto (</b>
<b>5"/1" Coax. Ferrite</b>		
5C150	5"/1" coax. ferrite, 90°, 130 + 25W, 8/16 Ohm	<b>230,00 €</b>
<b>6"/1" Coax. Ferrite</b>		
6C150	6"/1" coax. ferrite., 90°, 130 + 25W, 8/16 Ohm	<b>234,00 €</b>
<b>8"/1" Coax. Ferrite</b>		
8C250	8" Coaxial Transducer, 2" +1,75" VC, 200 W + 80 W, 95,5 dB, 8/16 Ohm	<b>245,00 €</b>
<b>12"/1" Coax. Ferrite</b>		
12C262	12" Coaxial Transducer, 3" + 1,5" VC, 400 W + 60 W, 98 dB, 8 Ohm	<b>320,00 €</b>
12C362	12" Coaxial Transducer, 3" + 1,75" VC, 500 W + 80 W, 98 dB, 8 Ohm	<b>398,00 €</b>
12C302	12" Coaxial Transducer, 3" + 1,75" VC, 500 W + 80 W, 98 dB, 8/16 Ohm	<b>410,00 €</b>
<b>15"/1" Coax. Ferrite</b>		
15C262	15" Coaxial Transducer, 3" + 1,5" VC, 400 W + 60 W, 98 dB, 8 Ohm	<b>340,00 €</b>
15C362	15" Coaxial Transducer, 3" + 1,75" VC, 500 W + 80 W, 98 dB, 8 Ohm	<b>420,00 €</b>
 <b>Triaxial Neodymium Series</b>		
<b>12"/1,4" Triax. Neo.</b>		
12CN860	12" Triaxial Neodymium Transducer, 4" + 3,5" + 1,75" VC 1000 W + 150 W + 80 W, 60°, 98 dB, 8 Ohm	<b>1 307,00 €</b>
<b>15"/1,4" Triax. Neo.</b>		
15CN860	15" Triaxial Neodymium Transducer, 4" + 3,5" + 1,75" VC 1000 W + 150 W + 80 W, 60°, 98 dB, 8 Ohm	<b>1 317,00 €</b>
15CN890	15" Triaxial Neodymium Transducer, 4" + 3,5" + 1,75" VC 1000 W x 150 W x 80 W, 90 x 60°, 98 dB, 8 Ohm	<b>1 337,00 €</b>

## Compression Drivers

		Cena brutto (€)
<b>1" Ferrite</b>		
4524	1" High Frequency Compression Driver, 1" VC, 25 W AES, 113 dB, 8 Ohm	<b>68,00 €</b>
4538	1" High Frequency Compression Driver, 1,5" VC, 60 W AES, 114 dB, 8 Ohm	<b>102,00 €</b>
4544	1" High Frequency Compression Driver, 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	<b>123,00 €</b>
4550	1" High Frequency Compression Driver, 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	<b>154,00 €</b>
<b>1,4" Ferrite</b>		
4554	1,4" High Frequency Compression Driver, 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	<b>154,00 €</b>
<b>1,5" Ferrit</b>		
4555	1,5" High Frequency Compression Driver, 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	<b>154,00 €</b>

## Midrange Compression Driver

<b>2" Ferrite</b>		
4591	2" Middle range Compression Driver, 3,5 " VC, 150 W AES, 118 dB, 8/16 Ohm	<b>394,00 €</b>
4591C	2" Middle range Compression Driver, 3,5 " VC, 150 W AES, 123 dB, 8/16 Ohm	<b>394,00 €</b>

## Coaxial Compression Drivers

<b>2" Coax. Ferrite</b>		
4590	2" Coaxial Compression Driver, 3,5" + 1,75" VC, 150 W + 80 W AES, 118 dB, 8/16 Ohm	<b>476,00 €</b>

## Neodymium Compression Drivers

<b>0.63" Neo</b>		
4526	0.63" Neodymium High Frequency Compression Driver 1" VC, 25W AES, 113 dB, 8/16 Ohm	<b>85,50 €</b>
<b>1" Neo</b>		
4540	1" Neodymium High Frequency Compression Driver, 1,5" VC, 60W AES 1,5" VC, 60W AES, 113dB, 1 3/8" - 18N Screw, 8/16 Ohm	<b>163,00 €</b>
4545	1" Neodymium High Frequency Compression Driver 1,75" VC, 80 W AES, 113 dB, 1 3/8" - 18N Screw, 8/16 Ohm	<b>198,00 €</b>
4547	1" Neodymium High Frequency Compression Driver 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	<b>180,00 €</b>
4552	1" Neodymium High Frequency Compression Driver, 1,75" VC, 80W AES 113 dB, 8/16 Ohm	<b>279,00 €</b>

## Neodymium Midrange Compression Drivers

Cena brutto (€)

4592-midrange	2" Middle range Compression Driver, 3,5" VC, 150 W AES, 118 dB, 8/16 Ohm	620,00 €
4594-midrange	1,4" Middle range Compression Driver, 3,5" VC, 150 W AES, 118 dB, 8/16 Ohm	620,00 €
4595-midrange	1,5" Middle range Compression Driver, 3,5" VC, 150 W AES, 118 dB, 8/16 Ohm	620,00 €
4596	2" Middle range Compression Driver, 3,5" VC, 150 W AES, 123 dB, 8/16 Ohm	620,00 €
4599	2" Dual diaphragm midrange Driver, Dual 3,5" VC, 400 W AES, 123 dB, 2x 8/16 Ohm	1 240,00 €

## Coaxial Neodymium Compression Drivers

### 2" Coax. Neo

4592	2" Coaxial Neodymium Compression Driver, 3,5" + 1,75" VC 150 W x 80 W AES, 118 dB, 8/16 Ohm	730,00 €
------	--	----------

### 1,4" Coax. Neo

4594	1,4" Coaxial Neodymium Compression Driver, 3,5" + 1,75" VC 150 W x 80 W AES, 118 dB, 8/16 Ohm	797,00 €
4593	1,4" Coaxial Neodymium Compression Driver, 3,5" + 1,75" VC 150 W + 80 W AES, 118 dB, 8/16 Ohm	730,00 €

### 1,5" Coax. Neo

4595	1,5" Coaxial Neodymium Compression Driver, 3,5" + 1,75" VC 150 W x 80 W AES, 118 dB, 8/16 Ohm	797,00 €
------	--	----------

## Neodymium Planar Wave drivers

4505	5" Neodymium Planar Wave Driver, 1,75" VC, 80 W AES, 113 dB, 8/16 Ohm	363,00 €
4510	4" Neodymium Planar Wave Driver, 1,75" VC, 80 W AES, 114 dB, 8/16 Ohm	347,00 €
4512	4" Neodymium Planar Wave Driver, 1,75" VC, 80 W AES, 112 dB, 8/16 Ohm	304,00 €

## Coaxial Neodymium Planar Wave drivers

4507	6,5" Neodymium Planar Wave Driver, 3,5+1,75" VC, 150W+ 80 W AES, 113 dB, 8/16 Ohm	947,00 €
4508	8" Neodymium Planar Wave Driver, 3,5+1,75" VC, 150W+80 W AES, 113 dB, 8/16 Ohm	947,00 €

### 1" Adapter

Flange Adapter	for 4540ND 1" Driver	30,00 €
----------------	----------------------	---------

### Crossover

C8/8	Crossover for 4590/4592/4593/4594/4595, 4507, 4508, 8 Ohm	42,00 €
C16/16	Crossover for 4590/4592/4593/4594/4595, 4507, 4508, 16 Ohm	42,00 €

### Horns

BMS-2193	1" Elliptical Waveguide, 1.600 Hz, 216x112x70mm	52,00 €
BMS-2119	1" CD Horn, 1.000 Hz, 90° x 40°, 300x170x115mm	60,00 €
BMS-2230	2" CD Horn, 700 Hz, 90° x 55°, 326x350x120mm	108,00 €
BMS-2236	2" CD Horn, 400 Hz, 60° x 40°, 500x350x265mm	164,00 €
BMS-2244	2" CD Horn, 700 Hz, 40° x 40°, 278x278x315mm	134,00 €
BMS-2250	2" CD Horn, 700 Hz, 50° x 50°, 279x229x283mm	134,00 €

BMS Speakers GmbH, Rue de Gent 2, 30539 Hannover, Germany  
phone: +49-511-8793898, fax: +49-511-8793901  
e-mail: [contact@bmsspeakers.com](mailto:contact@bmsspeakers.com), web: [www.bmsspeakers.com](http://www.bmsspeakers.com)